

SMSX Modem

dataTaker®

Intelligent Data Logging Products

Advanced Modem from Datataker

Using this advanced modem extends normal dial-up capabilities into full SMS communications and control of your data logger using only a mobile phone.

dataTaker SMSX GSM Modem – connects to the GSM network

Advanced features enables the user to :-

- Receive the latest data from your installation using a mobile phone**
- Remotely download data from the data logger to a PC
- Send an SMS message from the data logger in response to alarms
- Reduce downtime
- Improve efficiency
- Resend alarms to alternative numbers if the message is not received
- Manage remote assets
- Request the latest information from the data logger by sending a SMS message from your mobile phone
- Set output channels ON or OFF
- Change the alarm phone numbers using SMS commands
- Set calibration constants and alarm thresholds via SMS commands
- Start, stop and modify the logger program
- Remotely check signal strength

** It's so simple. Send an "X" to the *dataTaker* Modem and it will send back SMS message with the site data information



**SMSX
GSM Modem**



FREE
Software &
Technical
Support

Australasia

Datataker
5 Caribbean Drive
Scoresby, Melbourne
Victoria 3179
Tel: +61 3 9757 4477
Fax: +61 3 9753 3483
Email: sales@datataker.com.au

China

Datataker China Limited
Room 1635,
Haidian New Technology Building,
No. 65 West Road North 4th Ring Road,
Haidian District, Beijing P.R.C.:100080
Tel: 86-10-8288 6646
Fax: 86-10-8288 6649
Email: info@datataker.cn.com

Europe

Grant Instruments (Cambridge) Ltd
Shepreth
Cambridgeshire
SG8 6GB
Tel: +44 (0) 1763 264780
Fax: +44 (0) 1763 262410
Email: sales@datataker.co.uk

Americas

Computer Aided Solutions
8588 Mayfield Rd, Suite One
Chesterland, OH 44026
Tel: +1 800 9 LOGGER
Tel: +1 440 729 2570
Fax: +1 440 729 2586
Email: sales@dataloggerinc.com

www.datataker.com

Specifications



Modem Specifications

	SMSX GSM
Dimensions	100mm x 50mm x 17mm
Weight	100g
Supply Voltage	6V - 40Vdc
Power Consumption	
Standby	20mA (@ 12Vdc)
Trasmit	190mA (@ 12Vdc)
Operating Temperature	-20°C to 50°C
Operating Humidity	0 to 95% non-condensing

SMS Applications

Plant Control

A 24 hour a day process plant is being monitored by a *dataTaker DT800* with an *SMSX Modem*. The plant engineer can request current parameters operating in the plant via the logger and *SMSX Modem*. Should critical parameters be exceeded the logger will send an SMS message to the engineer.

The engineer then has the option of amending the alarm parameters or even closing the process down by sending an SMS message to change the digital outputs from the logger. This can be done from across the plant or anywhere in the world.

Wind Factor

A *dataTaker* data logger is logging wind speed and direction at a remote site. On a routine basis it is necessary to check the wind sensor is still functional. Rather than trekking to the site with a laptop computer the researcher can self test the installation using a mobile phone and an SMS message.

River Alarmed

A *dataTaker* data logger is situated at a remote site monitoring river height, temperature and salinity. The battery is charged using a solar panel. An *SMSX* module is configured to transmit alarms by SMS when conditions in the river exceed set parameters. The user can change the alarm parameters or simply check river conditions at any time by sending a simple SMS message

For further information on *dataTaker* products, or for useful downloads, visit the Datataker web site at www.datataker.com or contact your nearest Datataker office or distributor.



www.datataker.com



dataTaker®

Your local distributor

Warranty: All non Datataker manufactured products are covered by original manufacture's warranty.
Quality Statement: Datataker operates a Quality Management System complying with ISO9001:2000.
 It is Datataker's policy to supply customers with products which are fit for their intended purpose, safe in use, perform reliably to published specification and are backed by a fast and efficient customer support service.
Trademarks: *dataTaker* is a registered trademark of Biolab (Aust) Pty Ltd trading as Datataker.
Specifications: Biolab (Aust) Pty Ltd trading as Datataker reserves the right to change product specifications at any time without notice.
Designed and Manufactured in Australia. Biolab (Aust) Pty Ltd trading as Datataker